



This document is scheduled to be published in the Federal Register on 02/24/2012 and available online at <http://federalregister.gov/a/2012-04261>, and on [FDsys.gov](http://FDsys.gov)

Billing Code: 4160-90-M

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Agency for Healthcare Research and Quality

Scientific Information Request on Treatment Strategies for Patients with Peripheral Artery Disease (PAD)

AGENCY: Agency for Healthcare Research and Quality (AHRQ), HHS.

ACTION: Request for Scientific Information Submissions

SUMMARY: The Agency for Healthcare Research and Quality (AHRQ) is seeking scientific information submissions from manufacturers of peripheral artery disease treatment medical devices. Scientific information is being solicited to inform our Comparative Effectiveness Review of Treatment Strategies for Patients with Peripheral Artery Disease (PAD), which is currently being conducted by the Evidence-based Practice Centers for the AHRQ Effective Health Care Program. Access to published and unpublished pertinent scientific information on this device will improve the quality of this comparative effectiveness review. AHRQ is requesting this scientific information and conducting this comparative effectiveness review pursuant to Section 1013 of the Medicare Prescription Drug, Improvement, and Modernization Act of 2003, Public Law 108-173.

DATES: Submission Deadline on or before [INSERT DATE 30 DAYS AFTER DATE OF PUBLICATION IN THE FEDERAL REGISTER].

ADDRESSES:

Online submissions:

<http://effectivehealthcare.AHRQ.gov/index.cfm/submitscientific-information-packets/>. Please select the study for which you are submitting information from the list of current studies and complete the form to upload your documents.

E-mail submissions: ehcsrc@ohsu.edu (please do not send zipped files - they are automatically deleted for security reasons).

Print submissions: Robin Paynter, Oregon Health and Science University, Oregon Evidence-based Practice Center, 3181 SW Sam Jackson Park Road, Mail Code: BICC, Portland, OR 97239-3098.

FOR FURTHER INFORMATION CONTACT: Robin Paynter, Research Librarian, Telephone: 503-494-0147 or Email: ehcsrc@ohsu.edu.

SUPPLEMENTARY INFORMATION: In accordance with Section 1013 of the Medicare Prescription Drug, Improvement, and Modernization Act of 2003, Public Law 108-173, the Agency for Healthcare Research and Quality has commissioned the Effective Health Care (EHC) Program Evidence-based Practice Centers to complete a comparative effectiveness review of the evidence for treatment strategies for patients with peripheral artery disease (PAD).

The EHC Program is dedicated to identifying as many studies as possible that are relevant to the questions for each of its reviews. In order to do so, we are supplementing the usual manual and electronic database searches of the

literature by systematically requesting information (e.g., details of studies conducted) from medical device industry stakeholders through public information requests, including via the Federal Register and direct postal and/or online solicitations. We are looking for studies that report on treatment strategies for patients with peripheral artery disease, including those that describe adverse events, as specified in the key questions detailed below. The entire research protocol, including the key questions, is also available online at: <http://www.effectivehealthcare.AHRQ.gov/index.cfm/search-for-GUIDESreviews-and-reports/?PAGEaction=displayproduct&productid=948#4546>

This notice is a request for industry stakeholders to submit the following:

- A current product label, if applicable (preferably an electronic PDF file).
- Information identifying published randomized controlled trials and observational studies relevant to the clinical outcomes. Please provide both a list of citations and reprints if possible.
- Information identifying unpublished randomized controlled trials and observational studies relevant to the clinical outcomes. If possible, please provide a summary that includes the following elements: study number, study period, design, methodology, indication and diagnosis, proper use instructions, inclusion and exclusion criteria, primary and secondary outcomes, baseline characteristics, number of patients screened/eligible/enrolled/lost to withdrawn/follow-up/analyzed, and effectiveness/efficacy and safety results.
- Registered ClinicalTrials.gov studies. Please provide a list including the ClinicalTrials.gov identifier, condition, and intervention.

Your contribution is very beneficial to this program. AHRQ is not requesting and will not consider marketing material, health economics information, or information on other indications. This is a voluntary request for information, and all costs for complying with this request must be borne by the submitter. In addition to your scientific information please submit an index document outlining the relevant information in each file along with a statement regarding whether or not the submission comprises all of the complete information available.

Please Note: The contents of all submissions, regardless of format, will be available to the public upon request unless prohibited by law.

The draft of this review will be posted on AHRQ's EHC program website and available for public comment for a period of 4 weeks. If you would like to be notified when the draft is posted, please sign up for the e-mail list at: <http://effectivehealthcare.AHRQ.gov/index.cfm/join-the-email-list1/>.

#### The Key Questions

KQ 1: In adults with peripheral artery disease (PAD), including asymptomatic patients and symptomatic patients with atypical leg symptoms, intermittent claudication (IC), or critical limb ischemia (CLI):

- a. What is the comparative effectiveness of aspirin and other antiplatelet agents in reducing the risk of adverse cardiovascular events (e.g., all-cause mortality, myocardial infarction, stroke, cardiovascular death), functional capacity, and quality of life?
- b. Does the effectiveness of treatments vary according to the patient's PAD classification or by subgroup (age, sex, race, risk factors, or comorbidities)?
- c. What are the significant safety concerns associated with each treatment strategy (e.g., adverse drug reactions, bleeding)? Do the safety concerns vary by subgroup (age, sex, race, risk factors, comorbidities, or PAD classification)?

KQ2: In adults with symptomatic PAD (atypical leg symptoms or IC): a. What is the comparative effectiveness of exercise training, medications (cilostazol, pentoxifylline), endovascular intervention (percutaneous transluminal angioplasty, atherectomy, or stents), and/or surgical revascularization (endarterectomy, bypass surgery) on outcomes including vessel patency, repeat revascularization, wound healing, analog pain scale score, cardiovascular events (e.g., all-cause mortality, myocardial infarction, stroke, cardiovascular death), amputation, functional capacity, and quality of life?

- b. Does the effectiveness of treatments vary by use of exercise and medical therapy prior to invasive management or by subgroup (age, sex, race, risk factors, comorbidities, or anatomic location of disease)?
- c. What are the significant safety concerns associated with each treatment strategy (e.g., adverse drug reactions, bleeding, contrast nephropathy,

radiation, infection, exercise-related harms, and periprocedural complications causing acute limb ischemia)? Do the safety concerns vary by subgroup (age, sex, race, risk factors, comorbidities, anatomic location of disease)?

KQ3: In adults with CLI due to PAD:

a. What is the comparative effectiveness of endovascular intervention (percutaneous transluminal angioplasty, atherectomy, or stents) and surgical revascularization (endarterectomy, bypass surgery) for outcomes including vessel patency, repeat revascularization, wound healing, analog pain scale score, cardiovascular events (e.g., all-cause mortality, myocardial infarction, stroke, cardiovascular death), amputation, functional capacity, and quality of life?

b. Does the effectiveness of treatments vary by subgroup (age, sex, race, risk factors, comorbidities, or anatomic location of disease)?

c. What are the significant safety concerns associated with each treatment strategy (e.g., adverse drug reactions, bleeding, contrast nephropathy, radiation, infection, and periprocedural complications causing acute limb ischemia)? Do the safety concerns vary by subgroup (age, sex, race, risk factors, comorbidities, or anatomic location of disease)?

Dated: February 15, 2012

Carolyn M. Clancy,  
AHRQ, Director

[FR Doc. 2012-4261 Filed 02/23/2012 at 8:45 am; Publication Date: 02/24/2012]